Appendix G Final CHART Assessment for the Central Valley Steelhead ESU

ESU Description

The CV Steelhead ESU was listed as a threatened species in 1998 (63 FR 13347; March 19, 1998). The ESU includes all naturally spawned populations of steelhead in the Sacramento and San Joaquin Rivers and their tributaries, but excludes steelhead from San Francisco and San Pablo Bays and their tributaries. Based on an updated status review (NMFS 2003a) and an assessment of hatchery populations located within the range of the ESU (NMFS 2003b), NMFS recently proposed that the ESU remain listed as a threatened species (69 FR 33102; June 14, 2004). In addition, we proposed that resident O. mykiss co-occurring with anadromous populations below impassable barriers (both natural and man made) and two artificially propagated populations (Coleman National Fish Hatchery on Battle Creek and Feather River Hatchery on the Feather River) also be included in the CV Steelhead ESU. Two artificially propagated steelhead stocks reside within the historical geographic range of the ESU (Nimbus Fish Hatchery on the American River and Mokelumne River Hatchery on the Mokelumne River), but are not considered part of the ESU because they are derived from out-of-ESU broodstock (69 FR 33102; June 14, 2004). NMFS recently determined that a 6-month extension in making a final listing determination for this and all other west coast steelhead/O. mykiss ESUs was warranted (70 FR 37219; June 28, 2005). A Technical Recovery Team has been established for the Central Valley recovery planning domain and had developed a preliminary assessment of the historic and extant population structure of this ESU. Additional technical recovery planning work is underway to identify viability criteria for independent populations and the ESU as a whole.

CHART Area Assessments

The preliminary CHART assessment for this ESU (NMFS 2004b) was prepared to support our December 10, 2004, critical habitat proposal (69 FR 71880). This final CHART assessment considered new information received during the public comment period regarding fish distribution, habitat use, and watershed conservation value. Based on information received from the public comment process, the CHART made a limited

18 - 1 - 1 - 1 - 1

number of changes including: 1) the addition of approximately 6 miles of occupied habitat in several tributaries to HSA 550810, 2) the removal of approximately 3 miles of occupied habitat from HSA 552440, and 3) changed the conservation value of two HSAs (551510 and 552110) from low to medium.

The final CHART assessment for the CV Steelhead ESU addressed 25 CALWATER Hydrologic Units (HUs) or subbasins containing 67 occupied CALWATER HSAs (Figures G1 and G2). The assessment included four HSAs that encompass the San Francisco-San Pablo-Suisun Bay complex which represents a migratory corridor for this ESU (Figure G3). The HSAs were chosen as freshwater and estuarine critical habitat units because they provided a convenient and systematic way to organize the CHART's watershed assessments for this and other ESUs. Information presented below for individual HUs (size, counties, total stream miles, occupied stream miles, and habitat use) were generated from GIS data sets compiled by NMFS Southwest Region and can be found in Table G1.

Unit 1. Tehama Subbasin (HU#5504)

The Tehama HU is located in the north central portion of the ESU and includes portions of the mainstem Sacramento River, the lower portions of two westside tributaries (Thomes and Stony Creeks), and the lower portions of three eastside tributaries (Mill Creek, Deer Creek, and Pine Creek). The HU encompasses an area approximately 1,119 mi² and occurs primarily in Tehama County, but also in portions of Butte and Glenn Counties. The HU contains 2 HSAs, both of which are occupied, and 1,879 stream miles (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 228 miles of occupied riverine in the 2 occupied HSAs (Table G1). The CHART concluded that these occupied HSAs contained one or more PCEs (i.e. spawning, rearing, and/or migratory habitat) and identified several management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G1 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 2. Whitmore Subbasin (HU#5507)

The Whitmore HU is located in the northeastern part of the ESU and includes portions of upper Battle Creek (North and South Forks), upper Bear Creek, and the Cow Creek watershed. The HU encompasses an area approximately 913 mi² and occurs in Shasta and Tehama Counties. This HU contains 7 HSAs, all of which are occupied, and approximately 990 stream miles (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 177 miles of occupied riverine habitat in the 7 occupied HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G2 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 3. Redding Subbasin (HU# 5508)

The Redding HU is located in the northernmost part of the ESU and includes portions of the upper Sacramento River mainstem, westside tributaries including Cottonwood Creek (portions of both the Middle and South Forks) and Clear Creek, and the lower portions of several eastside tributaries (Cow Creek, Bear Creek, and lower Battle Creek). The HU encompasses an area of approximately 705 mi² and occurs in Shasta and Tehama Counties. This HU contains 2 HSAs, both of which are occupied, and a total of 1,030 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 228 miles of occupied riverine habitat in the 2 occupied HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G3 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 4. Eastern Tehama Subbasin (HU# 5509)

The Eastern Tehama HU is located in the northeastern portion of the ESU and includes portions of several significant watersheds including Mill Creek, Deer Creek, Antelope Creek, and the upper portion of Big Chico Creek. The HU encompasses an area of approximately 896 mi² and occurs primarily in Tehama County with small portions in Butte, Shasta and Plumas Counties. This HU contains 10 HSAs, 6 of which are occupied, and a total of 1,049 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 151 miles of occupied riverine habitat in the 6 occupied HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and estuarine habitat for the HSAs that contains spawning/rearing, rearing/migration, or migration PCEs, as well as the management activities that may affect the PCEs in each HSA. Map G4 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

The CHART also concluded that inaccessible stream reaches in Upper Deer Creek above Upper Deer Creek Falls may be essential for the conservation of this ESU (NMFS 2004g). Historically, steelhead had access to this area when conditions allowed fish to pass the falls. A ladder was constructed in late 1940s but it provides poor attraction and passage conditions and has been closed since 2001. Deer Creek currently supports a population of steelhead and improved passage conditions into this reach would increase the amount of spawning, rearing and migration habitat available to the ESU.

Unit 5. Sacramento Delta (HU# 5510)

The Sacramento Delta HU is located in the south-central portion of the ESU. The HU encompasses an area of approximately 446 mi² and occurs in portions of Yolo, Sacramento, and Solano Counties. This HU contains a single HSA which is occupied, and approximately 355 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 194 miles of occupied riverine habitat in this HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine/estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well

as management activities that may affect the PCEs in each HSA. Map G5 depicts the specific areas in this HU that are occupied by the ESU and were consideration for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 6. Valley Putah-Cache Subbasin (HU# 5511)

The Valley Putah-Cache HU is located in the south-central portion of the ESU and includes a portion of the Yolo Bypass and portions of west side tributaries Putah, Ulatis, and Alamo Creeks. This HU encompasses an area of approximately 961 mi² and occurs primarily in Yolo and Solano Counties. This HU contains 3 HSAs, 2 of which are is occupied, and 751 miles of streams (at 1:100,000 hydrography). Portions of these occupied HSAs are outside the boundary of ESU and the unoccupied HSA is completely outside the ESU boundary. Fish distribution and habitat use data compiled by NMFS biologists identify approximately 83 miles of occupied riverine habitat in the occupied HSAs (Table G1). The CHART concluded that the occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G6 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

Within this subbasin, the team also concluded that unoccupied stream reaches in Middle Putah Creek from Solano Irrigation Dam to Monticello Dam may be essential to the conservation of this ESU (NMFS 2004g). Steelhead are thought to have historically utilized the upper watershed above Monticello Dam. There is currently a very small opportunistic population of steelhead in Lower Putah Creek, but habitat conditions in this area are not suitable for spawning or rearing. Providing fish passage past the Solano Irrigation Dam would provide access to suitable habitat for this ESU and efforts are currently underway to investigate the feasibility of providing passage beyond this dam. The team concluded that this unoccupied area may be essential to conservation of the ESU because populations of steelhead in the Central Valley are constrained by the lack of accessible habitat and access to this area would provide cold water rearing and spawning habitat for this population.

Unit 7. American River Subbasin (HU# 5514)

The American River HU is located in the eastern portion of the ESU and includes portions of upper Coon Creek, Doty Creek, and Auburn Ravine. This HU encompasses an area of approximately 1,642 mi² and occurs primarily in El Dorado and Placer Counties. This HU contains 15 HSAs all of which are outside the range of the ESU; however, one of the HSAs is partially occupied (#551422) by the ESU. There are 104 miles of streams (at 1:100,000 hydrography) in the occupied HSA, but fish distribution and habitat use data compiled by NMFS biologists identify only 20 miles of riverine habitat that is occupied HSA (Table G1). The CHART concluded that the occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G7 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 8. Marysville Subbasin (HU# 5515)

The Marysville HU is located in the central portion of the ESU and includes portions of the Feather and Yuba Rivers. This HU encompasses an area of approximately 417 mi² and occurs primarily in Butte and Yuba Counties with smaller portions located in Sutter and Placer Counties. The HU contains 3 HSAs, all of which are occupied, and 562 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 75 miles of occupied riverine habitat in the 3 HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G8 depicts the specific areas in this HU that are occupied by the ESU and were considered for for critical habitat designation.

The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU. However, the team did conclude that

inaccessible stream reaches in the adjacent subbasin (in HU#5518) which contains the Upper Feather River above Oroville Dam may be essential to the conservation of this ESU (NMFS 2004g). Specifically, the team identified the following stream reaches above Oroville Dam that may be essential for conservation of this ESU: from Oroville Dam upstream along the West Branch of the Feather River to the vicinity of Kimshew Falls; along the North Fork of the Feather River upstream of the location of Lake Almanor; along the East Branch of the NF Feather River including Indian Creek and Spanish Creek; the South Middle Fork of the Feather River, and the South Fork of the Feather River upstream to the first natural impassible barrier. Steelhead (and spring-run chinook salmon) historically occurred in the Upper Feather River prior to Pacific Gas and Electric's hydroelectric development in the North Fork watershed and the construction of Oroville Dam. Construction of Oroville Dam extirpated the steelhead (and spring-run chinook) population in this upper watershed. The team concluded that spawning, rearing, an migratory habitat is available above Oroville Dam in these inaccessible stream reaches, but it is in better condition for steelhead than spring-run chinook salmon. The feasibility of providing fish passage past Oroville Dam is currently being evaluated through the ongoing FERC relicensing process for this facility. The team concluded this inaccessible habitat may be essential for the conservation of this ESU because the natural production of steelhead in the lower Feather River is limited by the substantial lack of suitable spawning and rearing habitat below Oroville Dam, and access to the unoccupied habitat above the dam would allow for expansion of the population in this watershed.

Unit 9. Yuba River Subbasin (HU# 5517)

The Yuba River Santa Clara HU is located in the central and eastern portion of the ESU and includes part of the upper Yuba River watershed (Dry and Deer Creeks). This HU encompasses an area of approximately 1,436 mi² and occurs in several Counties including: Butte, Nevada, Placer, Plumas, Sierra, and Yuba. The HU contains 16 HSAs, 4 of which are occupied, and 2,048 miles of streams (at 1:100,000 hydrography); however, all but 2 HSAs are entirely outside the ESU boundary. Fish distribution and habitat use data compiled by NMFS biologists identify only approximately 22 miles of occupied riverine habitat in the 4 occupied HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G9

depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

The CHART concluded that inaccessible stream reaches of the Upper Yuba River above Englebright Dam may be essential to the conservation of this ESU, including those upstream reaches on the North Yuba to New Bullards Bar Dam, on the Middle Yuba to Milton Dam, and on the South Yuba to Lake Spaulding (NMFS 2004g). All three forks of the Upper Yuba River historically supported populations of steelhead (and spring chinook). The team determine this area may be essential for conservation because it provides one of the largest areas of suitable habitat in the Central Valley that can be accessed by providing passage at one relatively small dam. The Lower Yuba is also considered to have a good "seed" population of steelhead (and spring chinook) and the population is considered relatively free of hatchery influence. A large, multi-million dollar study program is underway through the CALFED Ecological Restoration Program to evaluate the feasibility of restoring anadromous salmonid populations to the Upper Yuba River.

Unit 10. Valley-American Subbasin (HU# 5519)

The Valley-American HU is located in the central-eastern part of the ESU and includes portions of the American River and lower Auburn Ravine. This HU encompasses an area of approximately 958 mi² and occurs primarily in Placer, Sacramento, Sutter, and Yuba Counties. The HU contains 4 HSAs, only 2 of which are occupied, and approximately 1,188 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 187 miles of occupied riverine habitat in the 2 HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contain spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G10 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 11. Colusa Basin Subbasin (HU# 5520)

The Colusa Basin HU is located in the central portion of the ESU and includes portions

of the mainstem Sacramento River, lower Butte Creek, the Butte Creek-Sutter Bypass and Little Chico Creek. This HU encompasses an area of approximately 2,767 mi² and occurs in portions of Butte, Colusa, Glenn, Sutter, and Yolo Counties. The HU contains 5 HSAs, 3 of which are occupied, and 2,815 miles of streams (at 1:100,000 hydrography) although most of these stream miles are in unoccupied HSAs. Fish distribution and habitat use data compiled by NMFS biologists identify approximately 285 miles of occupied riverine habitat, including the Sutter Bypass, in the 3 HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning. rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing. rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G11 depicts the specific areas in this HU that are occupied by the ESU and were considered for the critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 12. Butte Creek Subbasin (HU# 5521)

The Butte Creek HU is located in the northeastern portion of the ESU and contains portions of Butte Creek and Little Chico Creek. This HU encompasses an area of approximately 207 mi² and occurs primarily in Butte County. The HU contains 3 HSAs, all of which are occupied, and 310 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 38 miles of occupied riverine habitat in the single occupied HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSÄ. Map G12 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

The CHART also concluded that inaccessible reaches of Upper Butte Creek above Centerville Dam upstream to Butte Meadow may be essential to the conservation of this ESU (NMFS 2004g). It is uncertain whether this area was historically used by the steelhead, but resident rainbow trout were historically present and still occur above

Centerville Diversion Dam. Spawning, rearing, and migration habitat is present and thought to be in good condition. The team believed this area may be essential for conservation because current steelhead spawning in this watershed is all below an elevation of 1,000 ft. High water temperatures in the lower portion of Butte Creek have led to significant spring-run chinook pre-spawning mortalities in recent years, and the team concluded that improved fish passage over the Centerville Diversion Dam would increase the range for both the-spring run chinook and steelhead ESUs, as well as reduce the risk of adult losses in the lower stream reaches. The team expects that feasibility of passage at the Centerville Diversion Dam will be evaluated through the upcoming FERC re-licensing process for the facility.

Unit 13. Ball Mountain Subbasin (HU# 5523)

The Ball Mountain HU is located in the northwestern portion of the ESU and includes a portion of upper Thomes Creek and associated tributaries. This HU encompasses an area of approximately 334 mi² and occurs almost entirely in Tehama County. The HU contains 3 HSAs, only one of which is occupied, and 521 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 41 miles of occupied riverine habitat in the one occupied HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G13 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat within this subbasin that may be essential for the conservation of this ESU.

Unit 14. Shasta Bally Subbasin (HU# 5524)

The Shasta Bally HU is located in the northwestern part of the ESU and includes portions of South Fork Cottonwood Creek and Beegum Creek among others. This HU encompasses an area of approximately 905 mi² and occurs primarily in Shasta and Tehama Counties. The HU contains 9 HSAs, 5 of which are occupied, and approximately 1,003 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 119 miles of occupied riverine habitat in the 5 HSAs (Table G1). The CHART concluded that these

occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G14 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat within this subbasin that may be essential for the conservation of this ESU.

Unit 15. North Valley Floor Subbasin (HU# 5531)

The North Valley Floor HU is located in the southeastern portion of the ESU and includes portions of the Calaveras, Mokelumne, and Cosumnes Rivers. This HU encompasses an area of approximately 1,378 mi² and occurs primarily in San Joaquin, Sacramento, and Calaveras counties. The HU contains 5 HSAs, 3 of which are occupied, and approximately 2,195 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify only about 189 miles of occupied riverine habitat in the 3 HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine or esturarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G15 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

The CHART team also concluded that inaccessible stream reaches of the Upper Mokelumne River above Comanche Dam up to Bald Rock Falls (which is 7 miles above Electra Dam) may be essential to the conservation of this ESU (NMFS 2004g). Portions of this inaccessible habitat area extend into the Middle Sierra Subbasin (HU#5532). The Upper Mokelumne River historically supported large runs of spring-run chinook salmon, and since steelhead and spring-run chinook use similar habitats it is assumed this area also supported large runs of steelhead. Suitable habitat exists above Comanche Dam, but it has been altered by Comanche and Pardee reservoirs. The team concluded that this area may be essential for conservation of the ESU because steelhead have been extirpated from the area above the dam and recovery of this ESU may require the re-establishment of multiple independent populations of steelhead throughout the Central Valley.

Unit 16. Middle Sierra Subbasin (HU# 5532)

The Middle Sierra HU is located in the eastern portion of the ESU and contains portions of the upper Cosumnes River watershed. This HU encompasses an area of approximately 1,424 mi² and occurs primarily in El Dorado, Amador, and Calaveras counties. The HU contains 6 HSAs, 4 of which are occupied, and 2,545 miles of streams. Fish distribution and habitat use data compiled by NMFS biologists identify only about 70 miles of occupied riverine habitat in the 4 HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and estuarine habitat identified for each HSA watershed that contain spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G16 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. As discussed for Unit 15 above, inaccessible portions of the upper Mokelumne River which may be essential to the conservation of this ESU extend into this subbasin. The CHART did not identify any other unoccupied areas that may be essential to the conservation of the ESU.

Unit 17. Upper Calavera Subbasin (HU# 5533)

The Upper Calaveras HU is located in the eastern portion of the ESU and contains portions of the Calaveras River. This HU encompasses an area of approximately 362 mi² and occurs entirely in Calaveras county. The HU contains 3 HSAs, only one of which is occupied, and approximately 743 miles of streams (at 1:100,000 hydrography); however, there are only 17 miles of streams in the occupied HSA. Fish distribution and habitat use data compiled by NMFS biologists identify only about 6 miles of occupied riverine habitat in the HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G17 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied areas in this subbasin that may be essential to the conservation of the ESU.

Unit 18. Stanislaus River Subbasin (HU# 5534)

The Stanislaus River HU is located in the southeastern portion of the ESU and contains portions of the Stanislaus River. This HU encompasses an area of approximately 998 mi² and occurs primarily in Tuolumne, Calaveras and Alpine counties. The HU contains 8 HSAs; however, only one is in the ESU and occupied. The HU has approximately 1,708 miles of streams (at 1:100,000 hydrography); however, there are only 8 miles of streams in the single occupied HSA. Fish distribution and habitat use data compiled by NMFS biologists identify only about 3 miles of occupied riverine habitat in this HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G18 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

Within this subbasin, the CHART also concluded that inaccessible stream reaches in the Middle Stanislaus River from Goodwin Dam to New Melones Dam may be essential to the conservation of this ESU (NMFS 2004g). The Stanislaus River historically supported a large population of spring-run chinook salmon and because steelhead utilize similar habitats it is likely that this River system also supported a large population of steelhead. Construction of Goodwin Dam blocked access of steelhead to those portions of the Stanislaus River above the Dam and largely extirpated this population. Recently, however, dam operations have provided conditions that allowed a few steelhead to spawn below Goodwin Dam. Suitable habitat is thought to exist above Goodwin Dam for steelhead and fish passage is considered feasible because of its low height. Based on preliminary technical recovery planning for ESUs in the central valley, recovery of this ESU will likely require the establishment of multiple independent steelhead populations particularly in the San Joaquin portion of the central valley.

Unit 19. San Joaquin Valley Floor Subbasin (HU# 5535)

The San Joaquin Valley Floor HU is located in the southeastern part of the ESU and contains portions of the Merced, Tuolumne, and Stanislaus Rivers. This HU encompasses an area of approximately 1,932 mi² and occurs primarily in Merced and Stanislaus counties. The HU contains 9 HSAs, several of which occur outside or partially outside the geographic boundary of the ESU. Of the 9 HSAs, 7 are occupied

and contain approximately 1,313 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify only about 159 miles of occupied riverine habitat in these HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G19 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation.

Within this subbasin, the CHART also concluded that inaccessible stream reaches in the Middle Tuolumne River (between LaGrange and New Don Pedro Dams) and the Middle Merced River (between Crocker-Huffman and Exchequer Dams) may be essential to the conservation of this ESU (NMFS 2004g). Both rivers historically supported large populations of spring-run chinook salmon and because steelhead utilize similar habitat it is likely that these rivers also supported large populations of steelhead. Although current central valley steelhead populations are considered winter-run, habitat conditions in most San Joaquin basins, including the Tuolumne and Merced, may have historically supported summer steelhead. With construction of LaGrange and Crocker-Huffman Dams, spring-chinook in both basins were extirpated, and most likely steelhead as well. Although steelhead cannot access the upper watersheds in the Tuolumne and Merced Rivers, dam operations in both watersheds have provided conditions allowing steelhead to spawn downstream of LaGrange and Crocker-Huffman Dams. The team believes that suitable habitat conditions exist above LaGrange and Crocker-Huffman Dams and that there may be opportunities to provide fish passage at each facility. Based on preliminary technical recovery planning for ESUs in the central valley, it is likely that recovery of this ESU will require the establishment of multiple independent steelhead populations particularly in the San Joaquin portion of the central valley.

Units 20 (Tuolumne River; HU#5536) and 21 (Merced River; HU#5537)

The Tuolumne River and Merced River HUs contains portions of the upper Tuolumne and Merced Rivers that are mostly or entirely outside the range of the ESU. The 2 HUs contain 18 HSAs and over 2,800 miles of streams (at 1:100,000 hydrography), but all are unoccupied by the ESU. The CHART team did not identify any areas in these subbasins that may be essential for the conservation of the ESU.

Unit 22. Delta-Mendota Canal Subbasin (HU#5541)

The Delta-Mendota Canal HU is located in the southernmost portion of the ESU and contains portions of the Delta-Mendota Canal. This HU encompasses an area of approximately 1,220 mi² and occurs primarily in Merced, Fresno, and Stanislaus counties. The HU contains 2 HSAs, both of which are occupied, and fish distribution and habitat use data compiled by NMFS biologists (at 1:100,000 hydrography) identify only about 50 miles of occupied riverine habitat in these HSAs (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G20 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied areas in this subbasin that may be essential for the conservation of the ESU.

Unit 23. Middle West Side Subbasin (HU#5542)

The Middle West Side Subbasin is located in the southwestern portion of the ESU in the San Joaquin basin. The HU contain 4 HSAs and approximately 509 miles of streams (at 1:100,000 hydrography), but all are unoccupied by the ESU. The CHART did not identify any areas in these subbasins that may be essential for the conservation of the ESU.

Unit 24. North Diablo Range (HU# 5543)

The North Diablo Range HU is located in the southwestern portion of the ESU and includes portions of the south and central Delta channel complex. This HU encompasses an area of approximately 315 mi² and occurs primarily in Alameda, Contra Costa, and San Joaquin counties. The HU contains only a single HSA, which is partially occupied, and 336 miles of streams (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify only approximately 4 miles of occupied riverine/estuarine habitat in this HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and/or estuarine habitat identified for each HSA watershed that contains spawning/rearing, rearing/migration, or migration

PCEs, as well as management activities that may affect the PCEs in each HSA. Map G21 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 25. San Joaquin Delta Subbasin (HU# 5544)

The San Joaquin Delta HU is located in the southwestern portion of the ESU and includes portions of the south and central Delta channel complex. This HU encompasses an area of approximately 628 mi² and occurs primarily in Contra Costa and San Joaquin counties. The HU contains a single HSA which is occupied, and approximately 455 miles of stream channels (at 1:100,000 hydrography). Fish distribution and habitat use data compiled by NMFS biologists identify approximately 276 miles of occupied riverine/estuarine habitat in this HSA (Table G1). The CHART concluded that these occupied areas contained one or more PCEs (i.e. spawning, rearing, or migratory habitat) for this ESU and identified management activities that may affect the PCEs. Table G2 summarizes the total miles of occupied riverine and/or estuarine habitat for each HSA watershed that contains spawning/rearing, rearing/migration, or migration PCEs, as well as management activities that may affect the PCEs in each HSA. Map G22 depicts the specific areas in this HU that are occupied by the ESU and were considered for critical habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of the ESU.

Unit 26. Suisun Bay (HU# 2207), San Pablo Bay (HU#2206) and San Francisco Bay (HU#s 2203 and 2204)

Portions of four HUs (2207, 2206, 2203, 2204) comprise the Suisun Bay- San Pablo-San Francisco Bay complex that is utilized by this ESU. These four HUs contain a large number of HSAs which include Bay habitat as well as freshwater tributaries to the Bay complex, but only the four HSAs that comprise the Bay complex are occupied by this ESU (HSAs 220710, 220610, 220410, and 220312). These 4 HSAs encompass approximately 427 mi² of estuarine habitat that serves as a rearing and migratory corridor that provides connectivity between upstream freshwater spawning, rearing, and migratory habitats for this ESU and the ocean. The CHART concluded that these four HSAs were occupied and contained PCEs for migratory habitat that support this ESU, and identified management activities that may affect the PCEs. Table G2 summarizes the management activities that may affect the PCEs in each HSA. Figure G3 depicts the specific areas (i.e. HSAs) in these HUs that are occupied by the ESU and were considered for critical

habitat designation. The CHART did not identify any unoccupied habitat areas in this subbasin that may be essential for the conservation of this ESU.

Final CHART Conservation Value Rating

Freshwater and Estuarine Areas

After reviewing the best available scientific data regarding critical habitat for this ESU, the CHART concluded that most of the occupied HSAs were of high or medium conservation value to the ESU. Of the 67 occupied HSAs that were evaluated, 37 were rated as having high conservation value, 18 were rated as having medium conservation value, and 12 were rated as having low conservation value. Table G3 summaries the CHARTs PCE/watershed scores and final conservation value ratings (i.e. low, medium or high) for all occupied HSAs in this ESU. Map 23 shows the overall spatial distribution of conservation value ratings by occupied HSA for the ESU.

Marine Areas

NMFS determined that marine areas did not warrant consideration as critical habitat for this ESU.

References and Sources of Information

NMFS 2003a. Updated Status of Federally Listed ESUs of West Coast Salmon and Steelhead. West Coast Salmon Biological Review Team Report - NWFSC and SWFSC. July 2003.

NMFS 2003b. Hatchery and Broodstock Summaries and Assessment for Chum, Coho and Chinook Salmon and Steelhead Stocks within ESUs listed under the ESA. Salmon and Steelhead Hatchery Assessment Group - NWFSC and SWFSC. May 2003.

NMFS 2004b. Draft Findings of NMFS' Critical Habitat Development and Review Teams (CHARTs) for 7 ESUs of Salmon and O. mykiss ESUs in California. Main Report and 7 Appendices. Prepared by NMFS Southwest Region.

Federal Register Notices

63 FR 13347 - Final Listing Determination for Central Valley Steelhead ESU.

69 FR 33102 - Proposed Listing Determinations for 27 West Coast Salmon and Steelhead ESUs.

69 FR 71880 - Proposed Critical Habitat Designations for 7 Salmon and Steelhead ESUs in California

70 FR 37219 - 6-Month Extension of the Final Listing Determinations for 10 ESUs of West Coast Oncorhynchus mykiss.

Same of the Same

Table GI. Central Valley Stedhead ESU: Occupancy, habitat use, and geographic area information by Hydrologic Unit and Hydrologic Subarea.

HSA falls within and outside of ESU: HSA falls entirely outside of ESU

	ı
	Į
	1
	ì
	i
8	ŧ
3	į
7	į
ers stradle the unit boundaries	ı
夏	ı
3	ı
ě	ı
볶	ł
Š	ı
ě	ı
	ł
2	ı
Ę	ı
as mainstem Riv	ł
Ē	ı
Š	ı
2	ı
1	ı
5	ı
lloor	ı
<u>\$</u>	ı
뵬	ı
F	i
units several	ı
8	ı
-월	ı
	ı
Đ,	ı
4	ı
7	ı
misleadi	ı
1	ı
-2	ı
ā	ı
totals can be	ı
₫	ı
£63	ı
7.	ı
3	ı
-	ı
×	J
J	ı

Stream Miles in 1854 (imited to those arrest bat fall within the ESU outbut.)	91	28 341 19 138 138 153 153	550	98 171 171 172 173 178 178 178 178 178 178 178 178 178 178	393	187	0 0 0 0 0 0 0 0 0 0 0 0 0 0	185	M O D C O O O O O O O O O	999 355 588
Stream Miles (1.109k) centained within the	91	341 19 138 153 153 153 153	550	85 206 206 206 206 206 206 206 206 206 206	358	229	104	336	24 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	288 44 884 5885 5885 5885 5885 5885 5885
Square Miles in HISA (limited to Boose acres (the f.Gl.) within the FSU:	45	361 18 18 126 77 79	340	72 30 108 208 45 45 131 41 41 41 41 41 41 41 41 41 41 41 41 41	364	197 27 0		120	15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	97 102 259 454
Squere. Squere. Street In Its	1,073	29 136 136 136 136 131 131 131 131 131 131	340	72 30 108 208 208 45 45 131 141 141	917	386	884 94 94 94 94 94 94 94 94 94 94 94 165 110 110 110 110 110 110 110 110 110 11	120	2	102 102 454 454 454 454 454 454 454 454 454 45
Aeres in 185A. (Illustration to these in agrees that fall authin the FSU within t	29,869	18.831 230.971 11.417 80.479 50.429 84.122	233.670	46.159 19.33316 99.300 133.316 133.316 133.316 133.316 133.316 133.316 133.316 133.316 133.316 133.316	233,003	126,192	000000000000000000000000000000000000000	76,927 28,145 161,646	28.7.733 38.27.733 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	62.182 65.297 165.753 290.333
Aerrs in 1880. (Centalnes) within the 1810.	29.069	18,831 230,971 11,477 80,479 50,429 84,172 108,071	233.670	46.159 19323 66.300 133316 28.888 83.637 26.006 55,702 19,832	285,422	246,988 249,336 119,203	53,485 11,029 1,029 1,59,175 1	76,927 28.145 161,646	46,056 46,056 34,12 46,056 34,17 46,106 44,176 46,176	62.182 65.397 195.188 290.333
HSA Oreunied	* *	* > > > >	* *	> Z Z > Z > Z > Z	۸ ا	> > z	Z > Z Z Z Z Z Z Z Z Z Z Z Z Z Z	* * *	>>> × × × × × × × × × × × × × × × × × ×	x z > >
USANAME	Lower Stony Cirek Red Bluff	Isks Creek Beitle Greek And Creek And Creek South Cow Creek Gold Cow Creek Little Cow Creek	Enterprise Flat Lower Collonwood	Big Chico Greek Mad Greek Pine Greek Pine Greek Doer Greek Doer Greek Upper Asil Greek Dy Creek Marsinge Greek Payer Creek Marsinge Greek Salt Greek Salt Greek Salt Greek	Secremento Della	Elmin Lower Pulah Crack Lower Cache Creek	Green Valley Addison Photom Reservior Where Core Where Core Share Core Share Core Share Core Share Test Core Core Share Test Core Share Test Core Share Shar	Lower Bear River Lower Yaba River Lower Yestlan River	Beern Valley Mitter J. Lide Mitter J. Lide New J. Lide	Frankfin Lower Américan Presant Grove
IISA NYMBER	550410	550711 550712 550721 550721 550732 550732	950810 550810	550914 550916 550916 550920 550942 550942 550963 550963 550964 550964 550964 550964 550964 550964 550964 550964 550964 550964	551000	55110 55120 1	25.52.52.52.52.52.52.52.52.52.52.52.52.5	551510 551530 551540	8 51713 8 51714 8 51714 8 51714 8 51714 8 5173 9 1071	551911 FB 551912 551921 LD 551922 FB
Percept of HUby County	81% 851 87	***************************************	* *	z % 2 9	32% 39% 28%	% % & ±	27	26. 24. 28. 28. 28. 28. 28. 28. 28. 28. 28. 28	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 82 42 42 42 42 42 42 42 42 42 42 42 42 42
Square Miles of County in Clark	905 EE1 81	710 203	₹ 55	208	144 175 721	38.0 %	1032 1,032 552 2 2	2 8 X X	229 23 24 25 313 313	277 454 108 108
Acres of County in County	579.211 84.931 52,002	129,773	265,068 186,155	3319 512,944 109 57,458	92,191 112,178 81,053	76 361.302 11.5 254,036	12.340 10.714 675.314 335.421 1,221	104,775 117,208 23,806 21,729	47,088 238,34 12,568 12,005 309,482 300,108	1,569 174,403 290,552 69,045 1,397 76,136
Caunty HU Palk within	Tehams Bulk Glenu	Shasta Tehnma	Shasta Tehama	Shash Tehama Plumar Butte	Yolo Sacramesto Solano	Colusa Yolo Napa Solano	Alpine Amador Amador Dorado Placer Secramento	Butte Yuba Satter Placer	Butte Novada Placar Placar Yaba	El Dorado Flecar Sacramento Satter Yolo Yeba
Occupied Stream Mikes (Migration)	213	<u>r</u>	£22	151	194	: S	20	\$7.	<u>x</u>	7.8
Occupied. Secon in Vibes (Rearing)	228	741	87.	<u>ızı</u>	†61	s	84	¥.	22	781
Occuried Stream Miles (Spawning)	69	136	877	18	6		8	88	g	8
Occumied Stream Miller	328	11.	228	151	194	8	30	2	a	
Stream Mile: Occupied filleliki in Stream Allies BLC	1879	86	0101	6401	355	751	1662	262	arog	書 版。7
Square Miss in	6111	813	705	968	911	196	1,642	417	1438	856
Aretum	716,114	84320	451,223	573,829	285,422	615,528	1,059.910	396,718	865616	613,403
Occupied (Y.	>	>	.	>	Å.	۲	>	>	>-	>
Mater Strem / Watershed in HU.	Valley sections of Ont-Eder Stony-Reed Free-Reed Stark	Upper NF Battle NF Battle NF Battle Clover-Oak Ran	Valley sections of Contorwood- Conv.Ash	Upper Describilit Analops- Big Cheo	Sacramento River- Yolo Bypass	Push	Adeling Bartise- Coses-Dony- Auklopy	Feather-Yubs- Bear	Yoke-Dyr	American- Lower Coon- Autum
זוה איאופ	Tehama	Whitmore	Redding	Essiem Tehama	Secremento Detra	Valley Patab-Catche	American River	Marysville	Yaba Kiver	Valley-American
AU.	\$504	5507	8025	53,09	5510	1811	*192	2815	2517	5219

	*** _ 1 - 2 - 2 - 2											
155 62 62 0 0 168 113	231	301	192 126 116 264 17 17 19	778 45 45 45 45 45 45 45 45 45 45 45 45 45	0 0 0 0	77	900000000	29 29 29 29 245 245 245 245 245 245 245 245 245 245		0 0 0 0 0	172	329 208 0
155 1648 168 833	50 49 211	301	192 1120 284 67 9 9 9 122	778 46 392 374 604	103	130 235 378	18 17 17 191 191 191 191 191 191 191	5 23 137 158 235 213 180			485	329 293 130 30
	2 2 2 2	1 36					8000000		OR OF STATE			
386 83 0 0 287 7	V-10	<u> </u>	173 219 86 11 16 16 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	403 292 293 233 375	212	123		148 319 319 00 0	102	0 0 0 0 0	067 0	269 120 0
386 1,393 57 287 644	28	193	173 219 219 219 219 210 210 210 210 210 210 210 210 210 210	463 30 336 233 375	147 212 201 201 212 580	12.5 17.9	8 252 263 107 1 1 275 68	148 255 319 319 234 231 108	102 112 264 18 359 230 230 230 230 230 230 230 230 230 230	66 117 241 241 241 273	290	2119 1771 109 20
246,952 53,349 0 0 183,595 4,493	15.877 17.761 98.767	60.583 29.930	2519 730 257 889 1113 689 689 689	258.174 14.266 186.855 149.365	415 0 0 0 0 0 0 0 0 0	5,058 78,427 14,388	5,321 0 0 0 0 0 0 0		2,413 7,413 0 0 0 0 0 0			
	15.	123.	61,780 77,293 10,252 10,252 18,113 18,113 47,349 6,899	258. 14. 186, 149. 239,	1350	78,	3	95.014 28.437 162.934 44.568 204.096 12.818 0	2,7	25.818	15,281	133.954 74.656 0
246,952 891,690 36,543 183,595 112,391	15.877 17.761 98.767	123.466 60.503 29.930	110.519 61.780 72.938 14.659 34.639 6.830 18.113 47.350 86.311	258,174 19,266 215,303 149,365 239,393	93,876 46,751 135,647 128,498 135,632 371,048	39.209 78,427 114,368	5.321 1.827 1.61.446 68.585 1.61.432 7.10 7.10 43.748	95,014 28,437 162,934 75,483 75,483 192,985 172,6471 173,550 126,643	65.390 7.413 168.884 11.273 12.29.40 1.767 1.767 1.767 1.015	74.835 5.590 161.007 122.029 146.819	185,971	133.954 109.237 69,792 12,900
> 2 2 > >	>>>	> × ×	>×>>××××××××××××××××××××××××××××××××××	> z > z	>×××××××	> Z Z	> Z Z Z Z Z Z Z Z	~×××××××	× z z z z z z z x x z	Z Z Z Z Z Z Z Z	 	2 2 2 2
Syvantor-Sutter Colusa Trough Orland Sutter Bypass Butte Basin	Upper Dry Creek Upper Batte Creek Upper Little Chico	Thomes Creek Eder Creek Red Bank Creek	South Fork Wells Creek One Platies Platies Whitelytown Lake Kenako Park Middle Cleer French Cale	Seraid Lower Deer Creek Lower Mokelerme Lower Calaveras Dack-Littlejolans	Big Chayon Crek Upper Deer Grook North Folk Cocurnes One Rarch Seller Creek Upper Mokelunpe	New Hogan Reservoir North Fork Calayerad South Fork Calayeras	Table Mountain New Melones Reservoir New Melones Reservoir South Pork Sansidus Médide Fork Sansidus Médide Fork Sansidus North Pork Sunsidus North Pork Sunsidus Chak Fork	Horre ak sville Servinson	Vizard Cuek Songin Songin Doe Fedro Reservoir Clavey River Mereu Pake Cherry Lake Cherry L	Kasseubaum Flats Coulterville Lake McClure South Fork Merced South Fork Merced Yosemite Monti Sterr King		Det Paerta Creek Orestimba Creek Rottero Creek Sen Luis Reservoir
			,					Manacea Welley Home Welley Home Warnersville Manacek Montpelier Montpelier Montpelier Montpelier Montpelier Montpelier Montpelier Montpelier Marred Marred Marred			Patierson Los Banes	
32% \$52010 25% \$52021 17% \$52022 10% \$52030 552040	4% 1% 552130 85% 552130 552130	9% 190% 552310 0% 552321 552322	52% 52433 38% 525433 38% 525434 552436 552461 552462 552463 552464	23% 553111 16% 553112 46% 553120 8% 553120 553140	37% 58322 34% 583222 9% 58323 58324 583280	553310 553320 553330	13% SS3410 0% 553421 0% 553421 57% 553421 57% 553430 553440 553450 553460	90% 512% 52% 52% 53350 90% 53350 90% 53350 90% 53350 90% 53350 53350 53350 53350 53350 53350 53350 53350 53350	9% 9% 9% 9% 9% 93% 93% 93% 93% 93% 93% 9	14% 1537110 154 553711 154 553710 155 553710 153710 153710	56 554110 56 554120 56 554120	554210 76 554220 76 554230 76 554231
879 3 679 3 464 3	e + 6	01 PE	340 31		22 25 25 25 25 25 25 25 25 25 25 25 25 2	-	132 13 193 15 19 0 0 19 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		378 31 2 0 546 45 44 4	0 0% 12 22% 28 5% 0 0% 59 72%
_	5.767 688 25.949								<u> </u>			
		9	825 360.702 217.763		ab 333,916 ab 16,271 332,293 82,932 81,932 16,041	l	84.640 is 123.531 75 is 32 is 430,610		612 147 605 18 27,360 19 1,022,961	}	242,206 1,071 349,782 uiu 28,427 s 159,745	
285 Beile Coluse Giern Sutter Yolo	38 Tehama Plemes Bute	41 Trinity Tebuma Mandoch	119 Trinity Shate Tebatta	190 Sacramento Amador Calavena San Josquir Sanislaus	70 El Dorado Secrament Amador Alpine Calaveras	6 Calavens	3 Apine Calaverad Meno Stanielaus Tuolumne	159 Calaveras Madera Mariposa Merced San Joseph Sunidaus Tuolume	O Mariposa Merced Mono Sanislaus Tuclume	Markera Mariposa Menred Meno Meno Samislan Tueluma	50 Fresto Madera Merced San Josephia Stanjslaus	Alemeda Merced San Jone Santa Cla Santa Cla Santa Cla
285	8 6	7	61	#	52	Δ.	m	<u>s</u>	•	Ф	84	o
95	*	=	£1	37	0,1	9	m	*	•	٥	Ф	9
£ .	8 5	=	 - 3	683	02	y .	in .	<u></u>	•	- - -	95	Đ
2815	310	521		2195	\$ 2	743	1708	313	2382	1361	3596	787 ·
2767	207	£	,	1,378	727	362	E66		£9	 - ±	220	608
1,77,171	32,405	213.899	3,290	900'2	£54°	5201	.387	£10°		526	231 1	† 88
<u> </u>	2	R	. S	8 5	5	82	<u>E</u>	£6.	1,051,485	706	182	325.884
>-	>	*	÷	>	>	>	<i>≻</i> ≻		z	z	<u>.</u>	z
											Canal	
Satter Bypass- Colusa Drais-	Butte- Little Chico	Upper Thomas-Elder	SF-MF-NF- Cottonwood- Clear Creek	Cosumnos- Calavenas- Mokelemer	Sutter- Jackson-Dry Creek	Upper	Uppert Stantislaus	Lower Stanishus Tuolumae Menced	Toolamse	Upper Merced	Ala-Mendot	Orestimba- Del Paerio-
								alley Hoor 1			Į	
Coluse Basin	Bule Creek	Bull Mountain	Shade gally	Vorth Valley Flor	Midule Sterra	Ipper Calavera	idensideus Riv	an Josepuin V	columns Riv	ferred River	elia-Mendola	Middle West Sid
	3521	5523	5524	_	5532	2533	2534	85555	7. J.	X 2537		2842 W

_	9		-	_	201			
	336				455			
	336				155			
	315				628			
	315				628			
	201.825				402.211			
	201.825				402,211			
	>				Y			
					_			
	North Diable Range				554400 San Jonquin Della			
	554300	<u> </u>		_	8 00155			_
226.	¥8.		30%			3,4	73%	X.O
3	- 51	c	ż	45	#	<u>«</u>	194	0
207 67	96.766	1,460	59.908	3,428	92,390	11,399	294,902	8
media	Contra Costa 96,766	decemb	Josephin	meda	etra Costa	vamento	Josephie	nislaus
157	ී	Š	28	276 Alt	å	š	S.	8
١,	,			272				
-				0				
1				276				
322				\$97				
315				628				
201 07				102.211				
,	•			'n				
	T. Floham		offer		ria.			
Gatzas	Mountain		Corral Hottow	Lower	San Josephin			
144	Mountain House			Sen Josephin Delta				
1				44 Sen Jose		-		
12				17				

-

Table G2. Summary of Occupied Subbasins/Watersheds. PCE's and Management Activities Affecting PCE's for the Central Valley Steelhead ESU

				-		· · · · · · · · · · · · · · · · · · ·	
Map Code	Basin	<u>HSA NAME</u> -	HSA NUMBER	Spawning/Rearing PCEs (ml)	Rearing/Migration PCEs (ml)	Presence/Migration Only PCEs (ml)	Management Activities*
	San Francisco Bay	Bay Waters	220312				AW, MW, PP, IS, DK, BS, ID
	San Francisco Bay	Bay Channel	220410				AW, MW, PP, IS, DK, BS, ID
	San Francisco Bay	San Pablo Bay	220610				AW, MW, PP, IS, DK, BS, ID
	Suisun Bay	Suisun Bay	220710				AW, MW, PP, IS, HR, DK, BS, WE,
	Tehama	Lower Stony Creek	550410	25	25	25	AW, FP, DO
	Tehama	Red Bluff	550420	203	203	203	AW, MW, PP, DK, BS, UD, RM
	Whitmore	Inks Creek	550711	2	2	2	RM
	Whitmore	Battle Creek	550712	82	82	82	AW, FP, WD
	Whitmore	Ash Creek	550721	9	9	9	RM
	Whitmore	Inwood	550722	33	33	33	AW, MW, UD
	Whitmore	South Cow Creek	550731	18	18	18	AW, FM, RM
	Whitmore	Old Cow Creek	550732	19	19	19	AW, RM, FM
	Whitmore	Little Cow Creek	550733	16	16	16	AW, RM, FM
	Redding	Enterprise Flat	550810	153	153	147	WS, DO, FP, PP, GM
-44-044	Redding	Lower Cottonwood	550820	75	75	75	AW, FP, RM
	Eastern Teharna	Big Chico Creek	550914	9	9	9	FP, FM, RM, RO
	Eastern Tehama	Mud Creek	550915			совиноминаминаминаминамина	
	Eastern Tehama	Pine Creek	550916	***************************************	***************************************		
	Eastern Tehama	Deer Creek	550920	35	35	35	FM, RM
	Eastern Tehama	Big Dry Creek	550941			33	
	Eastern Tehama	Upper Mill Creek	550942	48	48	48	FM, RM
	Eastern Tehama	Dye Creek	550962	7	7	7	RM
	Eastern Tehama	Antelope Creek	550963	34	34	34	FM, AW, MW, RM
	Eastern Tehama						RM, AW, FM
	Eastern Tehama	Paynes Creek	550964	17	17	17	
	Sacramento Delta	Salt Creek	550965	404	404	404	AW, PP, IS, DK, BS
	Valley Putah-Cache	Sacramento Delta	551000	194	194	194	UD, AW, FP
	Valley Putah-Cache	Elmira	551110	68	68	68	UD, AW, FP
	American River	Lower Putah Creek	551120	16	16	16	, , , , , , , , , , , , , , , , , , ,
	American River	Green Valley	551421				UD, IW,
	American River	Aubum	551422	20	20	20	OD, IW,
	American River	Folsom Reservior	551423		***************************************		
	American River	Weber Creek	551431	and a reserve transfer a reserve transfer of the second se	(FID Half) (FID HOLVES STATES	***************************************	Hohi Harlahan manaran manaran manaran (1969) (Alarahan manara
	American River	Coloma	551432		······································	***************************************	
		Silver Creek	551433	***************************************	91 (r) 101s) I s) (s) (r) (r) (r) (r) (r) (r) (r) (r) (r) (r		
	American River	Union Valley	551434				
	American River	Kyburz	551435	oranomentoment designation of the state of t	, MPHDP-10140004xt-riveled createMeDiamerer consenses		Production and the second seco
	American River	Silver Fork	551436				
	American River	Volcanoville	551441		OPERIOR HERE HERE HERE HERE THE TRANSPORT TO THE TRANSPOR		
	American River	Duncan Canyon	551442				
	American River	Rubicon	551443	de de la companya de			
	American River	Loon Lake	551444				
	American River	Hell Hole	551445			NOO PRODUCTION OF THE PROPERTY	
	American River	Clementine	551451				
	Marysville	Lower Bear River	551510	17	17	17	AW, BS, UD
	Marysville	Lower Yuba River	551530	19	19	19	PP, AW, MW, DK, BS, FP
	Marysville	Lower Feather River	551540	40	40	40	HD, WS, PP, HM, DO
	Yuba River	Browns Valley	551712	17	17	17	AW, MW
·	Yuba River	Mildred Lake	551713	0.4	0,4	0.4	AW
	Yuba River	Englebright	551714	1	1	1	AW, FP, DO
	Yuba River	Nevada City	551720	4	4	4	AW
	Yuba River	South Honcut Creek	551760				

				T		
AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	Franklin	551911		Hillidakikakakananananananananan		National Market House and the second state of
Valley-American	Lower American	551921	71	71	71	AW, MW, WS, UD, DO, PP, HM
Valley-American	Pleasant Grove	551922	111	111	111	AW, FP, DK, BS, PP
Colusa Basin	Sycamore-Suttër	552010	83	83	83	AW, HR, PP, DK, BS
Colusa Basin	Colusa Trough	552021			And the Hope Hope the Annual Control of the	AW, WH, AP, SF
Colusa Basin	Orland	552022	L			
Colusa Basin	Sutter Bypass	552030	70	70	70	AW, IS, SF, FP, WH
Colusa Basin	Butte Basin	552040	131	131	131	AW, PP, FP, SF, DK, BS
Butte Creek	Upper Dry Creek	552110	5	5	5	UD, RM, AW
Butte Creek	Upper Butte Creek	552120	11	11	11	UD, RM, AW
Butte Creek	Upper Little Chico	552130	22	22	22	WD
Bull Mountain	Thomes Creek	552310	41	41	41	FM, AW, MW, RM
Bull Mountain	Elder Creek	552321				***************************************
Bull Mountain	Red Bank Creek	552322			Harris III	
Chasta Dalle	South Fork	552433	43	43	43	FM, RM, RD
Chasta Dally	Wells Creek	552434				manufactured by the fermion of the f
	Ono	552435	15	15	15	FM, RM, RD, WS
Charte Calle	Platina	552436	45	45	45	FM, RM, RD, WS
Chanta Bally	Spring Creek	552440	9	9	9	WD, WS, PP, HM, DO
Sharte Bolls	Whiskeytown Lake	552461		TO IED CONTROL OF CO		
Chesto Baile	Kanaka Peak	552462	7	7	7	HR, GM, WD, WS, DO
Observe Delle	Middle Clear	552463			9:01010:054/5054/5054	
Chanta Cally	French Gulch	552464				
North Valley Close	Herald	553111	78	78	78	AW, RM
Modb Valley Class	Lower Deer Creek	553112				744, 186
North Valley Floor	Lower Mokelumne	553120	36	52	52	AW, DO, HM
North Valley Floor	Lower Calaveras	553130	57	59	59	AW, MW, FP, CH, DK, BS
North Valley Floor	Duck-Littlejohns	553140	***************************************		39	044, 18144, FT, CH, DN, BS
41141-01	Big Canyon Creek	553221	19	19	19	AW, FM
Middle Cierre	Upper Deer Creek	553222		19	13	AYY, FIVI
Middle Cia	North Fork Cosumnes	553222	17	17	17	AM Es
Middle Steres	Omo Ranch	553223	25	25	25	AW, FM
Middle Clere	Sutter Creek	553240	25 10	23 10	10	AW, FM
Middle Class	Upper Mokelumne	553240 553260	10	IV.	10	UD, HG, RM
Una an Cala anna	New Hogan Reservoir	553310	6	a	6	ASEL STEEL LEID CO.
Linear Colourena		чининининини	U Christianistianisma	6	6	AW, MW, WS, GM
Linnar Color anna	North Fork Calaveras	553320 553330	***************************************			
Stopialava Blues	South Fork Calaveras	553330	^		-	
Ptopielous Dives	Table Mountain	553410	3	3	3	FP, AW, WS, DO
Stockleys Diver	New Melones Reservoir	553421	***************************************			
Steriolous Dive	Angels Camp	553422				
Storielaus Bines	South Fork Stanislaus	553430	**************************************			*,
Staniala a Di	Middle Fork Stanislaus	553441				
Stanlelous Diver	Beardsley Lake	553442		MTC190010PMMCOMMANAHANAHANAHANAHANA		esenteri disaktikishishishishishishishishishishishishishi
	North Fork Stanislaus	553450				
Sen Jeanula Valter Flees	Clark Fork	553460		***************************************	rt-H/) i mahari i manadi m	page
Con Japania Valley Flags	Manteca	653510	1	1	1	AW, FP, DK, BS
6 1	Valley Home	553520			the lither and a second	линия принциприценти на принценти на принценти на принценти на принценти на принценти на принценти на принцент
See Jeensie Valle, Fl.	Riverbank	553530	54	54	54	AW, FP, DK, BS
Can tannin Malla . Class	Warnersville	553540		F		Middle lander lander and a second
Bara Janes de Vella de Flanc	Turlock	553550	39	39	39	AW, DK, BS, FP
la	Montpelier	553560	14	14	14	AW, FP
	El Nido-Stevinson	553570	22	11	11	AW, MW, UD
	Merced	553580	33	33	33	AW, MW, UD
	Fahr Creek	553590	7	7	7	AW
Tuolumne River	Vizard Creek	553620		<u> </u>		

Tuolumne River	Sonora	553631				
Tuolumne River	Don Pedro Reservoir	553632				
Tuolumne River	Clavey River	553640				
Tuolumne River	Mercut Peak	553651				HI Marine Commission of the Co
Tuolumne River	Cherry Lake	553652				
Tuolumne River	Lake Eleanor	553653			Particular de la constanta de	anniprametrial et de paper de
Tuolumne River	Hetch Hetchy	553660				
Tuolumne River	Middle Tuolumne	553670				
Tuolumne River	South Fork Tuolumne	553680				
Merced River	Kassenbaum Flats	553710		an (describ) (Aliceler, and labited as i seems veramentar announce		
Merced River	Coulterville	553721				
Merced River	Łake McClure	553722	**************************************	arreta management de la constantina de		manufacilitat (460(4)Helial tumummuni joja Hiji sidal muunt
Merced River	North Fork Merced	553730				
Merced River	South Fork Merced	553740	manuscription was Helicitis Helicitis Helicitis	/h/mili.rum/.rum		
Merced River	Yosemite	553750				
Merced River	Mount Starr King	553760	OD HORIO HERBERHERE KERKELI III III II II II		THE STREET STREET, STR	atti ingagar (di-apa)) (di-apanara kanamara transminga manga (di-aphi) Maharra rasanara
Delta-Mendota Canal	Patterson	554110	48	48	48	AW, MW, IS, PP, DG
Delta-Mendota Canat	Los Banos	554120	0	1	1	AW, MW, UD
Middle West Side	Del Puerto Creek	554210				
Middle West Side	Orestimba Creek	554220		910H0PHrHall-byHanarianananananananana	A PARTITION AND A PARTITION AN	
Middle West Side	Romero Creek	554231		***************************************	***************************************	***************************************
Middle West Side	San Luis Reservoir	554232		lattirii ilaanii ilaan		And the state of this best of the state of t
North Diablo Range	North Diablo Range	554300	4	4	4	AW, MW, IS, PP
San Joaquin Delta	San Joaquin Delta	554400	272	276	276	AW, MW, IS, PP, EF

*Management Activities Codes:

AP, Adult passage
AW - Agricultural water withdrawls
BS - Streamband stabilization for flood control
CH - channelization
DG - Dredging
DK - Diking
DO - Dam operations
EF - Entrainment and flow alterations
FM - Forest management

FP - Fish passage
GM - Gravel mining
HG - Historic gold mining
HM - Hatchery management
HR - Habitat restoration
ID - Industrial development
IS - Invasive/non-native species
MW - Municipal water withdrawls
PP - Point and non-point water pollution

RD - Roads
RM- Rangeland management
SF - Seasonal flooding for flood control
UD - Urban development
WO - Water diversion for hydroelectric
WE - Weitland/Estuary management
WH - Wildlife habitat management
WS - Water storage for flood control



Table G3. Summary of Preliminary Scores and Overall Rankings of Conservation Values for Critical Habitat for HSA watersheds occupied by the Central Valley Steelhead ESU

Map Code	Basin	Watershed	Calwater Unit	Total Score (0- 18)	Comments / Other Considerations	Conservation Value
	San Francisco Bay	Bay Waters	220312	10		High
	San Francisco Bay	Bay Channel	220410	5	The state of the s	Low
	San Francisco Bay	San Pablo Bay	220610	10	TERROR VIEW PROBLEM TO THE STATE OF THE STAT	High
	Suisun Bay	Suisun Bay	220710	10	- Control Control (Control Control Con	High
	Tehama	Lower Stony Creek	550410	8		Medium
	Tehama	Red Bluff	550420	15	от при по стором в вой в наволей в во на вой в во на наволя на на наволя на наволя в наволя в вой в на на на на на на на наволя на	High
	Whitmore	Inks Creek	550711	5	The state of the s	Low
	Whitmore	Battle Creek	550712	17	TO THE STATE OF TH	High
	Whitmore	Ash Creek	550721	5	The state of the s	Low
	Whitmore	Inwood	550722	9	region principal	Medium
//Armaurara	Whitmore	South Cow Creek	550731	9		Medium
	Whitmore	Old Cow Creek	550732	11		High
	Whitmore	Little Cow Creek	550733	11		High
	Redding	Enterprise Flat	550810	14		High
Monterone	Redding	Lower Cottonwood	550820	10		High
	Eastern Tehama	Big Chico Creek	550914	12	TO THE REAL PROPERTY OF THE PR	High
	Eastern Tehama	Mud Creek	550915	0		Not Occupied
	Eastern Tehama	Pine Creek	550916	0		Not Occupied
	Eastern Tehama	Deer Creek	550920	15	eren er en	High
	Eastern Tehama	Big Dry Creek	550941	0	The state of the s	Not Occupied
~~~~	Eastern Tehama	Upper Mill Creek	550942	15	na aran mang mengapi penggap debahat kebahat kaman menana tanan terbapa dapakai ke bawabahan menana menana menan	High
	Eastern Tehama	Dye Creek	550962	5	termina and the second	Low
**********	Eastern Tehama	Antelope Creek	550963	14	NOTON I TONIN TO THE	High
mara mara	Eastern Tehama	Paynes Creek	550964	9	to be the state of	Medium
	Eastern Tehama	Salt Creek	550965	0	от на при в на при на	Not Occupied
	Sacramento Delta	Sacramento Delta	551000	13	t de la de la de la dela de la desarta de la desarta de la desarta de la dela dela dela dela dela dela de	High
	Valley Putah-Cache	Elmira	551110	9	ntern temperatura and a manufacture of the selection of the best of a second of the selection of the best between	Medium
	Valley Putah-Cache	Lower Putah Creek	551120	10	Medium ranking because of no connectivity	Medium
omeane	American River	Green Valley	551421	0	та повершения не повершения в пове	Not Occupled
an agrance copyrig	American River	Auburn	551422	9		Medium
umaro uma	American River	Folsom Reservior	551423	0	состо статом по то по пото почто на на начина на н На начина на начина н	Not Occupied
aratumana.	American River	Weber Creek	551431	0	the state of the s	Not Occupied
~~~~	American River	Coloma	551432	0	NOTO NA ANDRON NO ANDRON N	Not Occupied
	American River	Silver Creek	551433	0	tioner in het die Helde kriek die kon kontrom maar aan aan statie gevoer het helde kriek daar het en aan aan aan statie statie geste in het de krieke	Not Occupied
	American River	Union Valley	551434	0		Not Occupied
	American River	Kyburz	551435	0	DO THE DOTATION OF THE STATE OF	Not Occupied
	American River	Silver Fork	551436	0	i brai krimani namar namamanamenemenengi jari ini ini ini ini ini anana ramanamenengi seongi sebabih eksimi sem	Not Occupied
ristina	American River	Volcanoville	551441	0	and an analysis of the Control of th	Not Occupied
rt manier unier	American River	Duncan Canyon	551442	0	The state of the s	Not Occupied
	American River	Rubicon	551443	0	ti ti tangan katang katang manang mang mang mang mang mang katang katang mang mang mang mang mang mang mang m	Not Occupied
,-ri-eficie	American River	Loon Lake	551444	0		Not Occupied
	American River	Hell Hole	551445	0		Not Occupied
	American River	Clementine	551451	0		Not Occupied
	Marysville	Lower Bear River	551510	10		Medium
	Marysville	Lower Yuba River	551530	16		High
	Marysville	Lower Feather River	551540	13	The second secon	High
	Yuba River	Browns Valley	551712	15		High
	Yuba River	Mildred Lake	551713	6	naman manan mahayayay kila la lakki kaman manan mana mahayay ki kila ki nakhan manan manan manan mahawa mahaka	Low


Yuba River	Englebright	551714	10	High
Yuba River	Nevada City	551720	6	Low
Yuba River	South Honcut Creek	551760	0	Not Occupied
Valley-American	Franklin	551911	0	Not Occupied
Valley-American	Lower American	551921	13	Hìgh
Valley-American	Pleasant Grove	551922	10	High
Colusa Basin	Sycamore-Sutter	552010	12	High
Colusa Basin	Colusa Trough	552021	5	High
Colusa Basin	Orland	552022	0	Not Occupied
Colusa 8asin	Sutter Bypass	552030	10	High
Colusa Basin	Butte Basin	552040	11	High
Butte Creek	Upper Dry Creek	552110	8	Medium
Butte Creek	Upper Butte Creek	552120	5	
Butte Creek	Upper Little Chico	552130	11	Low
Bull Mountain	Thomes Creek	552310	14	High
Bull Mountain		***************************************	***************************************	High
Bull Mountain	Red Bank Creek	552321	0	Not Occupied
Shasta Bally		552322	0	Not Occupied
Shasta Bally	South Fork	552433	8	Medium
Shasta Bally	Wells Creek	552434	0	Not Occupied
Shasta Bally	Ono	552435	9	Medium
Shasta Bally	Platina	552436	9	Medium
Shasta Bally	Spring Creek	552440	12	High
	Whiskeytown Lake	552461	0	Not Occupied
Shasta Bally	Kanaka Peak	552462	14	High
Shasta Bally	Middle Clear	552463	0	Not Occupied
Shasta Bally	French Gulch	552464	<u> </u>	Not Occupied
North Valley Floor	Herald	553111	7	Low
North Valley Floor	Lower Deer Creek	553112	0	Not Occupied
North Valley Floor	Lower Mokelumne	553120	9	Medium
North Valley Floor	Lower Calaveras	553130	12	High
North Valley Floor	Duck-Littlejohns	553140	0	Not Occupied
Middle Sierra	Big Canyon Creek	553221	7	Low
Middle Sierra	Upper Deer Creek	553222	0	Not Occupied
Middle Sierra	North Fork Cosumnes	553223	7	Low
Middle Sierra	Omo Ranch	553224	7	Low
Middle Sierra	Sutter Creek	553240	6	Low
Middle Sierra	Upper Mokelumne	553260	0	Not Occupied
Upper Calaveras	New Hogan Reservoir	553310	12	High
Upper Calaveras	North Fork Calaveras	553320	0	Not Occupied
Upper Calaveras	South Fork Calaveras	553330	0	Not Occupied
Stanislaus River	Table Mountain	553410	13	High
Stanislaus River	New Melones Reservoir	553421	0	Not Occupied
Stanislaus River	Angels Camp	553422	0	Not Occupied
Stanislaus River	South Fork Stanislaus	553430	0	Not Occupied
Stanislaus River	Middle Fork Stanislaus	553441	D	Not Occupied
Stanislaus River	Beardsley Lake	553442	0	Not Occupied
Stanislaus River	North Fork Stanislaus	553450	0	Not Occupied
Stanislaus River	Clark Fork	553460	0	Not Occupied
San Joaquin Valley Floor	Manteca	553510	12	
San Joaquin Valley Floor	*****************	553520	0	High Not Occupied
San Joaquin Valley Floor		553530	12	Not Occupied High


~~ ~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	San Joaquin Valley Floor		553540	0		Not Occupied
	San Joaquin Valley Floor		553550	11		High
	San Joaquin Valley Floor	Montpelier	553560	13		High
	San Joaquin Valley Floor		553570	7		Medium
	San Joaquin Valley Floor	Merced	553580	7		Medium
	San Joaquin Valley Floor	Fahr Creek	553590	9	-	Medium
	Tuolumne River	Vizard Creek	553620	0		Not Occupied
	Tuolumne River	Sonora	553631	0	The state of the s	Not Occupied
	Tuolumne River	Don Pedro Reservoir	553632	0		Not Occupied
	Tuolumne River	Clavey River	553640	0		Not Occupied
~~~~	Tuolumne River	Mercut Peak	553651	0		Not Occupied
	Tuolumne River	Cherry Lake	553652	0		Not Occupied
	Tuolumne River	Lake Eleanor	553653	0		Not Occupied
	Tuolumne River	Hetch Hetchy	553660	0	A CONTRACTOR OF THE PROPERTY O	Not Occupied
	Tuolumne River	Middle Tuolumne	553670	0		Not Occupied
	Tuolumne River	South Fork Tuolumne	553680	0		Not Occupied
	Merced River	Kassenbaum Flats	553710	0		Not Occupied
	Merced River	Coulterville	553721	0		Not Occupied
	Merced River	Lake McClure	553722	0	The second secon	Not Occupied
	Merced River	North Fork Merced	553730	0		Not Occupied
	Merced River	South Fork Merced	553740	0		Not Occupied
	Merced River	Yosemite	553750	0		Not Occupied
	Merced River	Mount Starr King	553760	0		Not Occupied
	Delta-Mendota Canal	Patterson	554110	10		High
	Delta-Mendota Canal	Los Banos	554120	5	Medium ranking because of connectivity	Medium
	Middle West Side	Del Puerto Creek	554210	0		Not Occupied
	Middle West Side	Orestimba Creek	554220	0		Not Occupied
	Middle West Side	Romero Creek	554231	0		Not Occupied
	Middle West Side	San Luis Reservoir	554232	0		Not Occupied
	North Diablo Range	North Diablo Range	554300	8	A think has a second of the se	Medium
	San Joaquin Delta	San Joaquin Delta	554400	10		High




# Figures G1, G2 and G3:

- G1 CALWATER Hydrologic Units (HU) for the Central Valley Steelhead ESU
- G2 CALWATER Hydrologic Subareas (HSAs) for the Central Valley Steelhead ESU
- G3 CALWATER HSAs comprising the San Francisco-San Pablo-Suisun Bay Complex occupied by the Central Valley Steelhead ESU










# Maps G1 through G22: Central Valley Steelhead ESU - Habitat Areas (Units) Considered for Critical Habitat Designation


----


- G1 Unit 5504 (Tehama HU)
- G2 Unit 5507 (Whitmore HU)
- G3 Unit 5508 (Redding HU)
- G4 Unit 5509 (Eastern Tehama HU)
- G5 Unit 5510 (Sacramento Delta HU)
- G6 Unit 5511 (Valley Putah-Cache HU)
- G7 Unit 5514 (American River HU)
- G8 Unit 5515 (Marysville HU)
- G9 Unit 5517 (Yuba River HU)
- G10 Unit 5519 (Valley-American HU)
- G11 Unit 5520 (Colusa Basin HU)
- G12 Unit 5521 (Butte Creek HU)
- G13 Unit 5523 (Ball Mountain HU)
- G14 Unit 5524 (Shasta Bally HU)
- G15 Unit 5531 (North Valley Floor HU)
- G16 Unit 5532 (Middle Sierra HU)
- G17 Unit 5533 (Upper Calaveras HU)
- G18 Unit 5534 (Stanislaus River HU)
- G19 Unit 5535 (San Joaquin Valley Floor HU)
- G20 Unit 5541 (Delta-Mendota Canal HU)
- G21 Unit 5543 (North Diablo Range HU)
- G22 Unit 5544 (San Joaquin HU)
















Land Ownership
California Central Valley
Steelhead
American River HU (5514)








Note: This map is for general reference only





















































Map G23. Preliminary CHART Ratings of Conservation Value for Calwater HSA Watersheds occupied by the Central Valley Steelhead ESU

----